



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/619,497	07/16/2003	Masajiro Iwasaki	R2184.0240/P240	8847
24998	7590	01/08/2008	EXAMINER	
DICKSTEIN SHAPIRO LLP			DARNO, PATRICK A	
1825 EYE STREET NW			ART UNIT	
Washington, DC 20006-5403			PAPER NUMBER	
			2163	
			MAIL DATE	
			DELIVERY MODE	
			01/08/2008	
			PAPER	

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

22

<b>Office Action Summary</b>	<b>Application No.</b> 10/619,497	<b>Applicant(s)</b> IWASAKI, MASAJIRO	
	<b>Examiner</b> Patrick A. Darno	<b>Art Unit</b> 2163	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 26 October 2007.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 July 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### DETAILED ACTION

1. No new claims have been added. Claims 1, 5, 10, 12, 17, 19, and 24 have been amended. Claims 1-27 are pending in this office action.

#### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-3 and 26 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent Number 6,240,424 issued to Kyoji Hirata (hereinafter “Hirata”).

#### **Claim 1:**

Hirata teaches a method of classifying an image, comprising the steps of:

designating a number of query images to be extracted from a plurality of images stored in an image database in correspondence with feature data, the image database having each image stored in an image file corresponding to an image feature (*Hirata: column 5, lines 4-15 and column 5, line 66 – column 6, line 12 and Fig. 3 and Fig. 6*);

a) extracting a query image from a plurality of images stored in an image database in correspondence with feature data (*Hirata: column 5, lines 58-65*);

b) searching, according to a predetermined similarity level, for a representative image resembling the query image in a representative image classification database in which each group of images is represented by respective representative images (*Hirata: column 5, lines 36-40*);

*Note that images are "classified under one primary object". Here the primary object is the representative image (See Hirata column 4, lines 66-67). Also note column 4, lines 7-8 and column 5, lines 58-65.);*

c) registering the query image as a new representative image in the representative image classification database when no resembling representative image is found as a result of the search according to the predetermined similarity level (*Hirata: column 4, lines 1-14; This reference shows the steps for creating a new representative image. This would be done when an image does not fit into any category already determined.*); and

d) adding the query image into a group represented by the resembling representative image found as a result of the search according to the predetermined similarity level (*Hirata column 4, lines 9-14 and column 7, lines 7-10*); and

e) displaying one or more representative images in an order based on the predetermined similarity level (*Hirata: column 7, lines 7-13 and Fig. 9*).

**Claim 2:**

Hirata teaches all the elements of claim 1, as noted above, and Hirata further teaches wherein the images in the image database are obtainable by referring to the respective representative images in accordance with the predetermined similarity level (*Hirata: column 5, line 58-column 6, line 1 and Fig. 5; Note that the primary object is the representative image as shown at column 4, lines 66-67.*).

**Claim 3:**

Hirata teaches all the elements of claim 1, as noted above, and Hirata comprising a step of forming the groups into a hierarchical structure (*Hirata: Figs. 2A, 2B and also column 5, lines 38-40; Note in column 5, lines 38-40 states "classified under one primary object". This further shows the hierarchical*

structure of images under a representative image (here the primary object).), wherein the forming step further includes the steps of:

a) extracting a further query image from the representative images in the representative images classification database (*Hirata: column 5, lines 36-40; Note that images are "classified under one primary object". Here the primary object is the representative image (See Hirata column 4, lines 66-67). Also note column 4, lines 7-8 and column 5, lines 58-65.);*

b) searching, according to a further predetermined similarity level, for a further representative image resembling the further query image in a further representative image classification database in which groups of images are represented by respective further representative images (*Hirata: column 5, lines 36-40; Note that images are "classified under one primary object". Here the primary object is the representative image (See Hirata column 4, lines 66-67). Also note column 4, lines 7-8 and column 5, lines 58-65.);*

c) registering the further query image as a new further representative image in the further representative image classification database when no resembling further representative image is found as a result of the search according to the further predetermined similarity level (*Hirata: column 4, lines 1-14; This reference shows the steps for creating a new representative image. This would be done when an image does not fit into any category already determined.); and*

adding the further query image into a group represented by the resembling further representative image found as a result of the search according to the further predetermined similarity level (*Hirata column 4, lines 9-14 and column 7, lines 7-10).*

**Claim 26:**

Claim 26 is rejected under the same reasons set forth in the rejection of claim 1.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hirata in further view of U.S. Patent Application Publication Number 2003/0011683 issued to Fumitomo Yamasaki et al. (hereinafter "Yamasaki").

**Claim 4:**

Hirata discloses all the elements of claim 3, as noted above, but does not explicitly disclose wherein the hierarchical structure is formed as layers of a directory of a file system for managing the images in the image database.

However, Yamasaki discloses wherein the hierarchical structure is formed as layers of a directory of a file system for managing the images in the image database (*Yamasaki: paragraphs [0087], [0089], and Fig. 9*).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Hirata with the teachings of Yamasaki noted above forming a directory structure of images (*Yamasaki: paragraph [0089]*). The skilled artisan would have been motivated to improve the teachings of Hirata per the above such that using the hierarchical structure, the user can readily sort out image data (*Yamasaki: paragraph [0091], lines 1-5*).

4. Claims 5-7, 12-14, 19-21, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over NPL article titled "Recursive Space Decompositions in Force-Directed Graph Drawing Algorithms" written by K.J. Pulo (hereinafter "Pulo") if further view of U.S. Patent Application 2003/0198384 issued to Michael Vrhel (hereinafter "Vrhel").

**Claim 5:**

Pulo discloses an image feature space display method comprising the steps of:

a) determining k representative points (k being an integer which is more than 1) in a feature space in response to a distance between points in the feature space and representative points representative of a plurality of feature spaces surrounding the feature space (*Pulo: Section 3.2 Finding The Characteristic Points, lines 39-40; Note that the k-means algorithm performs the all the same functionality described here. Section 2.2, lines 8-15 further describes the grouping of objects with respect to proximity and spatial location (distance).*);

b) obtaining k sub-feature spaces by evenly allocating the points in the feature space into k representative points (*Pulo: Section 3.2 Finding The Characteristic Points, lines 41-43*);

c) dividing a display space into sub-display regions of k segments, the display space being divided in a manner so that the sub-feature spaces correspond to the sub-display regions (*Pulo: Section 2.2 Recursive Space Decompositions (RSDs), lines 1-5; Note that this describes the function of an RSD. The k-means algorithm is a type of RSD (Section 2.2 Recursive Space Decompositions (RSDs), lines 41-45).*);

d) repeating the steps a) through c) until the sub-feature spaces and the sub-display regions are divided into minimum units, respectively (*Pulo: Section 2.2 Recursive Space Decompositions (RSDs), lines 2-3 and Section 3.2 Finding The Characteristic Points, lines 43-45; These two citations display a clear reference to the recursive nature of the k-means algorithm which results in the repeating of steps a, b, and c.*); and

Pulo discloses the k-means algorithm for carrying out the previous limitations cited above, and Pulo even suggests grouping of objects based on the spatial locations of regions of a graph segmented using the k-means algorithm (Pulo: Section 2.2, lines 1-15 and section 3.2, lines 17-28), but Pulo does not explicitly disclose applying the k-means function for segmenting images, arranging each image included in a minimum unit of a sub-feature space to a corresponding one of the minimum units of the sub-display region, and wherein the distance between the points in the feature space become shorter as similarity of images becomes greater.

However, Vrhel discloses applying the k-means function to images for the purpose of segmenting the image (*Vrhel: paragraph [0017], lines 6-9*), e) arranging each image included in a minimum unit of a sub-feature space to a corresponding one of the minimum units of the sub-display regions (*Vrhel: paragraph [0018], lines 17-21*); and wherein the distance between points in the feature space become shorter as similarity of images becomes greater (*Vrhel: paragraph [0017] and paragraph [0018], lines 15-21; First note that pixels are grouped using the k-means algorithm. Then, note that "[i]f the feature is incorrectly classified as teeth, the algorithm will keep the teeth and the additional facial features separate due to their unconnectedness or separation in the image." This reference explicitly suggests classifying an image based on separation of points or pixels (*Vrhel: paragraph [0017], lines 6-9*) in an image.).*

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Pulo with the teachings of Vrhel noted above. The skilled artisan would have been motivated to apply the teachings of Pulo per the above in order to classify individual pixels from an image into particular groups (*Vrhel: paragraph [0010], lines 1-4*).



The combination of Pulo and Vrhel does not explicitly disclose wherein the feature space indicates at least one of a histogram feature, an edge feature, and a texture feature. However, the combination of Pulo and Vrhel discloses well-known formulas and methods (such as the k-means algorithm) for analyzing and segmenting images which have been clearly mapped to each of the claim limitations above. The Examiner points out that all images include features such as histogram features, edge features, and/or texture features. So, if a formula is set forth for analyzing images, and all such images have features such as histogram features, edge features, and/or texture features, then the formula set forth (in this instance the k-means formula disclosed by both Pulo and Vrhel) must also analyzing images wherein the feature space includes at least one of a histogram feature, and edge feature, and a texture feature. Therefore, the Examiner asserts that it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the formulas and methods disclosed by the combination of Pulo and Vrhel on images wherein the feature space indicates at least one of a histogram feature, an edge feature, and a texture feature.

**Claim 6:**

The combination of Pulo and Vrhel discloses all the elements of claim 5, as noted above, and Pulo further discloses wherein the display space is two dimensional (*Pulo: Section 2.2 Recursive Space Decompositions (RSDs), lines 13-15*), wherein the feature space and the display space are divided into four sub-feature spaces and four sub-display regions in a grid manner (*Pulo: Section 2.2, lines 46-55 and Fig. 2*), respectively, wherein the representative points are disposed proximally with respect to two feature spaces which are arranged adjacent to each other and tangent to the sub-

feature spaces, and thus disposed distally with respect to two other feature spaces which are arranged adjacent to each other but not tangent to the sub-feature spaces (*Pulo: Fig. 2*).

**Claim 7:**

The combination of *Pulo* and *Vrhel* discloses all the elements of claim 5, wherein the display space is three-dimensional (*Pulo: Section 3.1 Description, lines 1-2; This reference suggests a handling a variable dimension space (d-dimensional)*). So three dimensional must be one of the cases considered.), wherein the feature space and the display space are divided into eight sub-feature spaces and eight display regions in a grid manner (*Pulo: Section 2.2, lines 16-30; The specific example chosen by Pulo is one that divides regions by 4. This is further seen in Fig. 2. However, in Section 2.2, lines 20-22, it is explicitly stated that irregular RSDs (like the k-means algorithm) "may divide space into arbitrarily sized and shaped regions at each level."* This surely covers all types of sub-divisions, including where the feature space and display regions are divided by 8.), respectively, wherein the representative points are disposed proximally with respect to three feature spaces which are arranged adjacent to each other and tangent to the sub-feature spaces, and thus disposed distally with respect to three other feature spaces which are arranged adjacent to each other but not tangent to the sub-feature spaces (*Pulo: This can be seen with respect to two dimensions in Fig. 2. While a diagram is not given for an example of 3-dimensions, the references cited above in the rejection of this claim state that it would be possible to have a 3-dimensional space (d-dimensional) and divide by the sub-feature space and display region by 8 ("arbitrarily sized and shaped regions").*).

**Claim 12:**

Claim 12 is a computer program product claim corresponding to method claim 5 and is rejected under the same reasons set forth in the rejection of claim 5.

**Claim 13:**

Claim 13 is a computer program product claim corresponding to method claim 6 and is rejected under the same reasons set forth in the rejection of claim 6.

**Claim 14:**

Claim 14 is a computer program product claim corresponding to method claim 7 and is rejected under the same reasons as set forth in the rejection of claim 7.

**Claim 19:**

Claim 19 is a computer program product claim corresponding to method claim 5 and is rejected under the same reasons set forth in the rejection of claim 5.

**Claim 20:**

Claim 20 is a computer program product claim corresponding to method claim 6 and is rejected under the same reasons set forth in the rejection of claim 6.

**Claim 21:**

Claim 21 is a computer program product claim corresponding to method claim 7 and is rejected under the same reasons set forth in the rejection of claim 7.

**Claim 27:**

Claim 27 is rejected under the same reasons set forth in the rejection of claim 5.

5. Claims 8-9, 15-16, and 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pulo in further view of Vrhel and further in view of Hirata.

**Claim 8:**

The combination of Pulo and Vrhel discloses all the elements of claim 5, as noted above, but the combination does not explicitly disclose wherein the points in the feature space represent images in a representative image classification database which are subject to the steps of:

- a) extracting a query image from a plurality of images stored in an image database in correspondence with feature data;
- b) searching, according to a predetermined similarity level, for a representative image resembling the query image in the representative image classification database in which groups of images are represented by respective representative images;
- c) registering the query image as a new representative image in the representative image classification database when no resembling representative image is found as a result of the search according to the predetermined similarity level; and
- d) adding the query image into a group represented by the resembling representative image found as a result of the search according similarity level the predetermined.

However, Hirata discloses wherein the points in the feature space represent images in a representative image classification database, which are subject to the steps of:

- a) extracting a query image from a plurality of images stored in an image database in correspondence with feature data (*Hirata: column 5, lines 58-65*);
- b) searching, according to a predetermined similarity level, for a representative image resembling the query image in the representative image classification database in which groups of images are represented by respective representative images (*Hirata: column 5, lines 36-40; Note that images are "classified under one primary object". Here the primary object is the representative image (See Hirata column 4, lines 66-67). Also note column 4, lines 7-8 and column 5, lines 58-65.*);

c) registering the query image as a new representative image in the representative image classification database when no resembling representative image is found as a result of the search according to the predetermined similarity level (*Hirata: column 4, lines 1-14; This reference shows the steps for creating a new representative image. This would be done when an image does not fit into any category already determined.*); and

d) adding the query image into a group represented by the resembling representative image found as a result of the search according similarity level the predetermined (*Hirata column 4, lines 9-14 and column 7, lines 7-10*).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the previously mentioned combination with the teachings of Hirata noted above for the purpose of classifying and querying a database of images (*Hirata: Abstract*). The skilled artisan would have been motivated to improve the previously mentioned combination per the above such images could be classified to a group based on the similarity to a representative image of the group (*Hirata: column 4, lines 1-14*).

**Claim 9:**

The combination of Pulo, Vrhel, and Hirata discloses all the elements of claim 8, as noted above, and Hirata further discloses comprising a step of forming the groups into a hierarchical structure, wherein the forming step further includes the steps of:

a) extracting a further query image from the representative images in the representative image classification database (*Hirata: column 5, lines 58-65*);

b) searching, according a further predetermined similarity level, for a further representative image resembling further query image in a further representative image classification

database in which groups of images are represented by respective further representative images (*Hirata: column 5, lines 36-40; Note that images are "classified under one primary object". Here the primary object is the representative image (See Hirata column 4, lines 66-67). Also note column 4, lines 7-8 and column 5, lines 58-65.*);

c) registering the further query image as a new further representative image in the further representative image classification database when no resembling further representative image is found as result of the search according to the further predetermined similarity level (*Hirata: column 4, lines 1-14; This reference shows the steps for creating a new representative image. This would be done when an image does not fit into any category already determined.*); and

d) adding the further query image into a group represented by the resembling further representative image found as a result of the search according to the further predetermined similarity level (*Hirata column 4, lines 9-14 and column 7, lines 7-10*).

**Claim 15:**

Claim 15 is a computer program product claim corresponding to method claim 8 and is rejected under the same reasons set forth in the rejection of claim 8.

**Claim 16:**

Claim 16 is a computer program product claim corresponding to method claim 9 and is rejected under the same reasons set forth in the rejection of claim 9.

**Claim 22:**

Claim 22 is a computer program product claim corresponding to method claim 8 and is rejected under the same reasons set forth in the rejection of claim 8.

**Claim 23:**

Claim 23 is a computer program product claim corresponding to method claim 9 and is rejected under the same reasons set forth in the rejection of claim 9.

6. Claims 10-11, 17-18, and 24-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pulo in further view of Vrhel and further in view of U.S. Patent Application Publication Number 2003/0059121 issued to Andreas E. Savakis et al. (hereinafter "Savakis").

**Claim 10:**

Pulo discloses an image feature space display method comprising the steps of:

a) dividing a feature space into three sub-feature spaces, the three sub-feature spaces being composed two sub-feature spaces disposed within a prescribed radius with respect to two reference points in the feature space, and another sub-feature space other than the two sub-feature spaces (*Pulo: Section 3.2 Finding The Characteristic Points, lines 39-40; Note that the k-means algorithm performs the all the same functionality described here. Section 2.2, lines 8-15 further describes the grouping of objects with respect to proximity and spatial location (distance). Further note that Pulo discloses dividing into a k (variable) amount of subsections.*);

b) dividing a display space into sub-display regions of three segments, the display space being divided a same manner as the feature space so that the sub-feature spaces correspond to the sub-display regions (*Pulo: Section 2.2 Recursive Space Decompositions (RSDs), lines 1-5; Note that this describes the function of an RSD. The k-means algorithm is a type of RSD (Section 2.2 Recursive Space Decompositions (RSDs), lines 41-45).*);

c) repeating the steps a) and b) the sub-feature spaces and the sub-display regions are divided into minimum units, respectively (*Pulo: Section 2.2 Recursive Space Decompositions (RSDs), lines*

2-3 and Section 3.2 Finding The Characteristic Points, lines 43-45; These two citations display a clear reference to the recursive nature of the k-means algorithm which results in the repeating of steps a, b, and c.); and

Pulo discloses the k-means algorithm for carrying out the previous limitations cited above, and Pulo even suggests grouping of objects based on the spatial locations of regions of a graph segmented using the k-means algorithm (Pulo: Section 2.2, lines 1-15 and section 3.2, lines 17-28), but Pulo does not explicitly disclose applying the k-means function for segmenting images, arranging each image included in a minimum unit of a sub-feature space to a corresponding one of the minimum units of the sub-display region, and wherein the distance between the points in the feature space become shorter as similarity of images becomes greater.

However, Vrhel discloses applying the k-means function to images for the purpose of segmenting the image (Vrhel: paragraph [0017], lines 6-9), e) arranging each image included in a minimum unit of a sub-feature space to a corresponding one of the minimum units of the sub-display regions (Vrhel: paragraph [0018], lines 17-21), and wherein the distance between points in the feature space become shorter as similarity of images becomes greater (Vrhel: paragraph [0017] and paragraph [0018], lines 15-21; First note that pixels are grouped using the k-means algorithm. Then, note that "[i]f the feature is incorrectly classified as teeth, the algorithm will keep the teeth and the additional facial features separate due to their unconnectedness or separation in the image." This reference explicitly suggests classifying an image based on separation of points or pixels (Vrhel: paragraph [0017], lines 6-9) in an image.).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Pulo with the teachings of Vrhel noted above. The skilled artisan would have been motivated to apply the teachings of Pulo per the above in order to classify individual pixels from an image into particular groups (Vrhel: paragraph [0010], lines 1-4).



The combination of Pulo and Vrhel does not explicitly disclose dividing the feature space and the display space into specifically three subsections. However, Savakis discloses using the k-means function to divide subject matter into three subsections (*Savakis: paragraph [0082], lines 2-4*).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the previously mentioned combination with the teachings of Savakis noted above. The skilled artisan would have been motivated to improve the previously mentioned combination because Pulo specifically suggests that the subdivisions produced by the k-means algorithm (an irregular RSD) may divided subject matter into any arbitrary size and shape (*Pulo: Section 2.2, lines 20-22; Therefore a larger shape results in less subdivisions and larger shape results in more subdivisions. This leaves selecting 3 subdivisions as a design choice.*).

The combination of Pulo and Vrhel does not explicitly disclose wherein the feature space indicates at least one of a histogram feature, an edge feature, and a texture feature. However, the combination of Pulo and Vrhel discloses well-known formulas and methods (such as the k-means algorithm) for analyzing and segmenting images which have been clearly mapped to each of the claim limitations above. The Examiner points out that all images include features such as histogram features, edge features, and/or texture features. So, if a formula is set forth for analyzing images, and all such images have features such as histogram features, edge features, and/or texture features, then the formula set forth (in this instance the k-means formula disclosed by both Pulo and Vrhel) must also analyzing images wherein the feature space includes at least one of a histogram feature, and edge feature, and a texture feature. Therefore, the Examiner asserts that it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the formulas and methods disclosed by the combination of Pulo and Vrhel on

images wherein the feature space indicates at least one of a histogram feature, an edge feature, and a texture feature.

**Claim 11:**

The combination of Pulo, Vrhel, and Savakis discloses all the elements of claim 10, as noted above, and Pulo further discloses wherein the reference points are selected from points disposed nearest to representative points included in the two sub-feature spaces (*Pulo: Section 3.2, lines 39-43 and Section 2.2, lines 8-15*).

**Claim 17:**

Claim 17 is a computer program product claim corresponding to method claim 10 and is rejected under the same reasons set forth in the rejection of claim 10.

**Claim 18:**

Claim 18 is a computer program product claim corresponding to method claim 11 and is rejected under the same reasons set forth in the rejection of claim 11.

**Claim 24:**

Claim 24 is a computer program product claim corresponding to method claim 10 and is rejected under the same reasons set forth in the rejection of claim 10.

**Claim 25:**

Claim 25 is a computer program product claim corresponding to method claim 11 and is rejected under the same reasons set forth in the rejection of claim 11.

***Response to Arguments***

**Applicant Argues:**

Unlike Hirata, the claimed invention performs a search and displays the search result based on the degree of "similarity" among the images. Because Hirata does not disclose or teach all of the limitations of claim 1, Applicant respectfully submits that the claim should be allowed.

**Examiner Responds:**

Examiner is not persuaded. Hirata does in fact disclose performing a search and then displaying the search result based on the degree of "similarity" among the images (Hirata: column 7, lines 7-13 and Fig. 9). Note that Fig. 9 displays the search results based on the representative image shown in the upper left hand corner of Fig. 9. Furthermore, note that the search results are displayed in the Fig. 9 and "classified based on similarity" (Hirata: column 7, lines 10-13).

Based upon the portion of Hirata cited above, it is clear that Hirata discloses displaying one or more representative images in an order based on the predetermined similarity level. Since each and every element of the Applicant's claimed invention is either disclosed or suggested by the prior art of record, the claims remain rejected under the reasons set forth in the preceding office action.

**Applicant Argues:**

Even otherwise, both Pulo and Vrhel do not disclose or teach that the "distance between points in the feature space become shorter as similarity of images becomes greater." The references do not use "similarity" of images in the methods disclosed therein. For these reasons, Applicant respectfully submits that claim 5 should be allowable.

**Examiner Responds:**

Examiner is not persuaded. First, note that Vrhel discloses applying the k-means function to images for the purpose of segmenting the image (Vrhel: paragraph [0017], lines 6-9). Second, after reviewing the prior art of record, it is clear that Vrhel also discloses wherein the

distance between points in the feature space become shorter as similarity of images becomes greater (Vrhel: paragraph [0017] and paragraph [0018], lines 15-21). Notice, that in the Vrhel reference, pixels are grouped using the k-means algorithm. Then, note that "[i]f the feature is incorrectly classified as teeth, the algorithm will keep the teeth and the additional facial features separate due to their unconnectedness or separation in the image." This reference explicitly suggests classifying an image based on separation of points or pixels (Vrhel: paragraph [0017], lines 6-9) in an image.

Since it appears that each and every element of the Applicant's claimed invention is either disclosed or suggested by the prior art of record, the claims remain rejected under the reasons set forth in the preceding office action.

**Applicant Argues:**

Claim 5 recites an image feature space display method wherein "the feature space indicates at least one of a histogram feature, an edge feature, and a texture feature...Applicant's respectfully submits that Pulo and Vrhel, even when combined, do not teach or suggest these limitations.

The Office Action concedes that Pulo and Vrhel do not disclose a "feature space indicat[ing] at least one of a histogram feature, an edge feature, and a texture feature" but contends that it would have been obvious to use the formulas and methods of Pulo and Vrhel on images. Applicant respectfully disagrees.

**Examiner Responds:**

Examiner is not persuaded. First, it is worth noting that the Applicant appears to have taken the Examiner's words out of context. The Examiner did not assert that Pulo and Vrhel do not disclose a "feature space...histogram feature, an edge feature, and a texture feature." The Examiner set forth that Pulo and Vrhel do not explicitly disclose those particular limitations. But, just because a feature is not explicitly stated in a reference does not mean the invention set forth in that reference lacks that feature.

The Examiner again points out that the combination of Pulo and Vrhel discloses well-known formulas and methods (such as the k-means algorithm) for analyzing and segmenting images which have been clearly mapped to each of the claim limitations above. The Examiner points out that all images include features such as histogram features, edge features, and/or texture features. So, if a formula is set forth for analyzing images, and all such images have features such as histogram features, edge features, and/or texture features, then the formula set forth (in this instance the k-means formula disclosed by both Pulo and Vrhel) must also analyzing an image wherein the feature space includes at least one of a histogram feature, and edge feature, and a texture feature. Therefore, the Examiner asserts that it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the formulas and methods disclosed by the combination of Pulo and Vrhel on images wherein the feature space indicates at least one of a histogram feature, an edge feature, and a texture feature.

Since it appears that each and every limitation of the Applicant's claimed invention is either disclosed or suggested by the prior art of record, the claims remain rejected under the reasons set forth in the preceding office action.

#### ***Contact Information***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick A. Darno whose telephone number is (571) 272-0788. The examiner can normally be reached on Monday - Friday, 9:00 am - 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:  
10/619,497  
Art Unit: 2163

Page 21

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patrick A. Darno  
Examiner  
Art Unit 2163



PAD



WILSON LEE  
PRIMARY EXAMINER